Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Discrete Applied Mathematics 142 (2004) 207
DISCRETE APPLIED MATHEMATICS
www.elsevier.com/locate/dam

Author Index Volume 142 (2004)

Boros, E., V.A. Gurvich, L. Khachiyan and K. Makino, Dual-bounded generating problems: weighted transversals of a hypergraph (1–3) 1–15
Charnes, C., see T. Xia (1–3) 127–132
Chen, J. and I.A. Kanj, Improved exact algorithms for MAX-SAT (1–3) 17–27
Couceiro, M. and S. Foldes, Definability of Boolean function classes by linear equations over **GF**(2) (1–3) 29–34
Foldes, S. and G.R. Pogosyan, Post classes characterized by functional terms (1–3) 35–51
Foldes, S. and P.L. Hammer, Disjunctive analogues of submodular and supermodular pseudo-Boolean functions (1–3) 53–65
Foldes, S., see M. Couceiro (1–3) 29–34
Glover, F., see L.M. Hvattum (1–3) 99–109
Gröpl, C., H. Jürgen Prömel and A. Srivastav, Ordered binary decision diagrams and the Shannon effect (1–3) 67–85
Gurvich, V.A., see E. Boros (1–3) 1–15
Hammer, P.L., see S. Foldes (1–3) 53–65
Han, Q., see J. Zhang (1–3) 133–149
Horiyama, T. and T. Ibaraki, Reasoning with ordered binary decision diagrams (1–3) 151–163
Hvattum, L.M., A. Løkketangen and F. Glover, Adaptive memory search for Boolean optimization problems (1–3) 99–109
Hwang, F.K., J.S. Lee and U.G. Rothblum, Permutation polytopes corresponding to strongly supermodular functions (1–3) 87–97
Ibaraki, T., see H. Ono (1–3) 165–180
Ibaraki, T., see T. Horiyama (1–3) 151–163
Jürgen Prömel, H., see C. Gröpl (1–3) 67–85
Kanj, I.A., see J. Chen (1–3) 17–27
Khachiyan, L., see E. Boros (1–3) 1–15
Kuznetsov, S.O., Complexity of learning in concept lattices from positive and negative examples (1–3) 111–125
Lee, J.S., see F.K. Hwang (1–3) 87–97
Løkketangen, A., see L.M. Hvattum (1–3) 99–109
Makino, K., see E. Boros (1–3) 1–15
Ono, H., M. Yagiura and T. Ibaraki, A decomposability index in logical analysis of data (1–3) 165–180
Pieprzyk, J., see T. Xia (1–3) 127–132
Pogosyan, G.R., see S. Foldes (1–3) 35–51
Rothblum, U.G., see F.K. Hwang (1–3) 87–97
Seberry, J., see T. Xia (1–3) 127–132
Servedio, R.A., Monotone Boolean formulas can approximate monotone linear threshold functions (1–3) 181–187
Srivastav, A., see C. Gröpl (1–3) 67–85
Ünlüyurt, T., Sequential testing of complex systems: a review (1–3) 189–205
Xia, T., J. Seberry, J. Pieprzyk and C. Charnes, Homogeneous bent functions of degree n in $2n$ variables do not exist for $n > 3$ (1–3) 127–132
Yagiura, M., see H. Ono (1–3) 165–180
Ye, Y., see J. Zhang (1–3) 133–149
Zhang, J., Y. Ye and Q. Han, Improved approximations for max set splitting and max NAE SAT (1–3) 133–149

doi:10.1016/S0166-218X(04)00213-6